

			JONAS		差 JONAS
rticle rint d 'ersio	ate:	1900001 12.12.2024 11.0	Hybrid-Fassaden Revision date: 09 Issue date: 09.12	0.12.2024	EN Page 1 / 8
SEC	TION 1: Id	entification of	the substance/mix	cture and of the con	npany/undertaking
	Product ic				· · · ·
		(manufacturer/su e/designation	pplier)	1900001 JONAS Hybrid-Fassadenfar UFI: 0AC3-40EX-20	
.2.	Relevant i	dentified uses of	the substance or m	ixture and uses advise	
	Use of the Coatings a Uses advis	substance/mixt			
.3.	Details of	the supplier of th	e safety data sheet		
	JONAS Fa Dieselstraf	rben GmbH 3e 42 - 44	oorter/downstream u	Telephone: +49 205	
	D-42489 W Germany			Telefax: +49 2058 7 E-mail: kontakt@joı Website: www.jona	nas-farben.de
	Departme	nt responsible fo	r information:		
	E-mail (cor	mpetent person):		kontakt@jonas-farb	en.de
1.4.	Emergenc	y telephone num y telephone: t office time from	ber 07:30 a.m. to 04:00 p	+49 2058 789 0 .m.	
SEC	TION 2: H	azards identific	ation		
2.1.	Classifica	tion of the substa	ance or mixture		
	Classifica	tion according to	Regulation (EC) No	1272/2008 [CLP]	
	The mixtur	e is classified as	hazardous according	to regulation (EC) No 1	272/2008 [CLP].
	•	nronic 3 / H412	Respiratory or ski Hazardous to the	n sensitisation aquatic environment	May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.
2.2.	Label elen		whether (EC) No. 407	2/2000 101 01	
	Labelling Hazard pie		<u>ulation (EC) No. 127</u>	<u>2/2008 [CLP]</u>	
		ctograms			
		Warning			
	Hazard sta H317 H412	Mayo	ause an allergic skin ful to aquatic life with		
		nary statements			
	P101 P102 P103 P261	Keep Read	dical advice is needed out of reach of childre carefully and follow a spraying, use combi	Ill instructions.	er or label at hand.
	P273Avoid release to the environment.P280Wear protective gloves and eye protection/face protection.P302 + P352IF ON SKIN: Wash with plenty of water and soap.P362 + P364Take off contaminated clothing and wash it before reuse.				
	P501			ainer in accordance with	
	Hazard co	1,2-be 2-octy	belling hyl-2H-isothiazol-3-or enzisothiazol-3(2H)-or /l-2H-isothiazol-3-one ichloro-2-octyl-2H-iso	ne	



		JONAS			
Article No.:	1900001	Hybrid-Fassadenfarbe			
Print date:	12.12.2024	Revision date: 09.12.2024	EN		
Version:	11.0	Issue date: 09.12.2024	Page 2 / 8		

Supplemental hazard information

EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
EUH210	Safety data sheet available on request.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Dispersion paint, algicide and fungicide Description

	cording to Regulation (EC) No 1272/2008 [CLP]	
EC No. CAS No. Index No.	REACH No. Designation classification: // Remark	weight-%
236-675-5 13463-67-7 022-006-00-2	titanium dioxide Carc. 2 H351	10 - 20
220-120-9 2634-33-5 613-088-00-6	1,2-benzisothiazol-3(2H)-one Acute Tox. 4 H302 / Acute Tox. 2 H330 / Skin Irrit. 2 H315 / Eye Dam. 1 H318 / Skin Sens. 1A H317 / Aquatic Acute 1 H400 (M = 1) / Aquatic Chronic 1 H410 (M = 1)	< 0,1
220-239-6 2682-20-4	2-methyl-2H-isothiazol-3-one Acute Tox. 3 H301 / Acute Tox. 3 H311 / Acute Tox. 1 H330 / Skin Corr. 1B H314 / Eye Dam. 1 H318 / Skin Sens. 1A H317 / Aquatic Acute 1 H400 (M = 10) / Aquatic Chronic 1 H410 (M = 1) / EUH071	< 0,1
212-950-5 886-50-0	Terbutryn Acute Tox. 4 H302 / Skin Sens. 1B H317 / Aquatic Acute 1 H400 (M = 100) / Aquatic Chronic 1 H410 (M = 100)	< 0,1
247-761-7 26530-20-1 613-112-00-5	2-octyl-2H-isothiazol-3-one Acute Tox. 3 H301 / Acute Tox. 3 H311 / Acute Tox. 2 H330 / Skin Corr. 1 H314 / Eye Dam. 1 H318 / Skin Sens. 1A H317 / Aquatic Acute 1 H400 (M = 100) / Aquatic Chronic 1 H410 (M = 100)	< 0,1
264-843-8 64359-81-5	4,5-Dichloro-2-octyl-2H-isothiazol-3-one Acute Tox. 4 H302 / Acute Tox. 2 H330 / Skin Corr. 1 H314 / Eye Dam. 1 H318 / Skin Sens. 1A H317 / Aquatic Acute 1 H400 (M = 100) / Aquatic Chronic 1 H410 (M = 100)	< 0,1
614-170-4 67923-10-8	aminofunctional oligosiloxanes Skin Irrit. 2 H315 / Eye Irrit. 2 H319	1 - 2,5

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do



		JONAS
Article No.:	1900001	Hybrid-Fassadenfarbe
Print date:	12.12.2024	Revision date: 09.12.2024
Version:	11.0	Issue date: 09.12.2024

EN Page 3 / 8

not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

Additional information

The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions



		JONAS	
Article No.:	1900001	Hybrid-Fassadenfarbe	
Print date:	12.12.2024	Revision date: 09.12.2024	
Version:	11.0	Issue date: 09.12.2024	

EN Page 4 / 8

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

titanium dioxide

Index No. 022-006-00-2 / EC No. 236-675-5 / CAS No. 13463-67-7

WEL, TWA: 10 mg/m3 Remark: (inhalable fraction) WEL, TWA: 4 mg/m3

Remark: (respirable fraction)

Additional information

TWA : Long-term occupational exposure limit value STEL : short-term occupational exposure limit value Ceiling : peak limitation

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibres (cotton) or heat resistant synthetic fibres.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Appearance: Colour:	Liquid viskos white
Odour:	low odor
Melting point/freezing point	not determined
Initial boiling point and boiling range:	not determined
Flammability:	not applicable
Lower and upper explosion limit: Lower explosion limit:	0,6



Article No.: Print date: Version:	1900001 12.12.2024 11.0	JONAS Hybrid-Fassadenfarbe Revision date: 09.12.2024 Issue date: 09.12.2024	EN Page 5 / 8
Upper	explosion limit:	Dipropylene glycol r 20,4 Dipropylene glycol r	,
Flash p	oint:	not applicable	
Auto-igr	nition temperature:	Remark: No data av	vailable
Decomp	osition temperature	9:	
pH at 20) °C:	8 - 8,5	
Kinema	tic viscosity (40°C):	9554,14 mm²/s	
Dynami	c viscosity (20°C):	15000 mPa* s	
Solubili Water s	ty(ies): solubility at 20 °C:	completely miscible	e
Partitio O/W):	n coefficient n-octai	nol /water (log P	
		Remark: not determ	nined
Vapour	pressure at 20 °C:	0,0018 mbar	
	and/or relative den / at 20 °C:	sity: 1,57 +/- 0,05 g/cm³	
Relative	e vapour density:	not determined	
particle	characteristics:	not applicable	

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

not applicable

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

titanium dioxide

Carcinogenicity

Contains less than 1 % titanium dioxide particles with an aerodynamic diameter = 10 µm.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.



	JONAS
1900001	Hybrid-Fassadenfarbe
12.12.2024	Revision date: 09.12.2024
11.0	Issue date: 09.12.2024
	12.12.2024

EN Page 6 / 8

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and has not been classified.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Harmful to aquatic life with long lasting effects.

12.2. **Persistence and degradability** Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. **Mobility in soil** Toxicological data are not available.

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080111* Waste paint and varnish containing organic solvents or other dangerous substances

Appropriate disposal / Package

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste. A 150110packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG,




Article I		1900001	JONAS Hybrid-Fassadenfarbe	JONAS		
Print da Version		12.12.2024 11.0	Revision date: 09.12.2024 Issue date: 09.12.2024	EN Page 7 / 8		
101	1.	11.0	13506 0016. 03.12.2024			
	ICAO/IAT					
	-	-	se of this transport regulation.			
14.1.	UN num	per or ID number	not applicable			
1/1 2	UN prop	er shipping name				
17.2.		er snipping name				
14.3.	Transpo	rt hazard class(es)				
	•	()	not applicable)		
14.4.	Packing	group				
			not applicable			
14.5.	Environ	mental hazards				
	Land trar	nsport (ADR/RID)	not applicable			
	Marine p	ollutant	not applicable			
14.6.	Special p	precautions for use	er			
	Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8					
<u> </u>	<u>Further i</u>	nformation				
I	Land tra	nsport (ADR/RID)				
-	Tunnel re	striction code	-			
:	Sea tran	sport (IMDG)				
	EmS-No.		not applicable			
			according to IMO instruments			
		port as bulk accordi	-			
		Regulatory info	-			
				·····		
	-		nental regulations/legislation spe	ecific for the substance or mixture		
	EU legis					
	-	on (EU) No. 528/20 active substance	12 on biocides			
		2-methyl-2H-isothia	zol-3-one			
	1,2-benzi	sothiazol-3(2H)-one				
		H-isothiazol-3-one				
	2-methyl-2H-isothiazol-3-one 3-iodo-2-propinyl butylcarbamate					
	4,5-Dichloro-2-octyl-2H-isothiazol-3-one					
-	Terbutryn					
	Use Main gray					
	Main group 2: Preservatives Product-type 7: Film preservatives					
	Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC-value (in g/L): 30					
	Directive VOC prod	2004/42/EC on th duct category: (Cat.	e limitation of emissions of volati A/c) ; VOC limit value: 40 g/l e product in a ready to use condition			
	National regulations					
	Restricti	ons of occupation	ations under the Maternity Protoc	ction Directive 92/85/EEC or stricter national regulations, if		
:	applicabl Observe	e. restrictions to emp	loyment for juveniles according to	the 'juvenile work protection guideline' (94/33/EC) or stricter		
15.2.	Chemica	regulations, if applic Il Safety Assessme	nt			
	Unemica	I satety assessmen	ts for substances in this mixture we	ere not carried out.		

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Full text of classification in section 3:



Sonas Jonas

EN Page 8 / 8

Carc. 2 / H351		nogenicity	Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).	
Acute Tox. 4 / H302	Acute	toxicity (oral)	Harmful if swallowed.	
Acute Tox. 2 / H330		toxicity (inhalative)	Fatal if inhaled.	
Skin Irrit. 2 / H315		corrosion/irritation	Causes skin irritation.	
Eye Dam. 1 / H318		us eye damage/eye irritation	Causes serious eye damage.	
Skin Sens. 1A / H31		ratory or skin sensitisation	May cause an allergic skin reaction.	
Aquatic Acute 1 / H		dous to the aquatic environment	Very toxic to aquatic organisms.	
Aquatic Chronic 1 /		dous to the aquatic environment	Very toxic to aquatic life with long lasting	
			effects.	
Acute Tox. 3 / H301	Acute	toxicity (oral)	Toxic if swallowed.	
Acute Tox. 3 / H311	Acute	toxicity (dermal)	Toxic in contact with skin.	
Acute Tox. 1 / H330	Acute	toxicity (inhalative)	Fatal if inhaled.	
Skin Corr. 1B / H31	4 Skin d	corrosion/irritation	Causes severe skin burns and eye damage.	
Skin Sens. 1B / H31		ratory or skin sensitisation	May cause an allergic skin reaction.	
Skin Corr. 1 / H314		corrosion/irritation	Causes severe skin burns and eye damage.	
Eye Irrit. 2 / H319	Seriou	us eye damage/eye irritation	Causes serious eye irritation.	
Abbreviations and	acronvms			
ADR		ement concerning the Internation	al Carriage of Dangerous Goods by Road	
OEL		Exposure Limit Value		
BLV	Biological Limi			
CAS	Chemical Abst	racts Service		
CLP	Classification,	Labelling and Packaging		
CMR	Carcinogenic, I	Mutagenic and Reprotoxic		
DIN	German Institu	te for Standardization / German in	dustrial standard	
DNEL	Derived No-Eff			
EAKV	European Was	te Catalogue Directive		
EC	Effective Conce			
EC	European Com	imunity		
EN	European Stan			
IATA-DGR		r Transport Association – Danger		
IBC Code		ternational Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk		
ICAO-TI		ivil Aviation Organization Technic	cal Instructions for the Safe Transport of Dangerous	
	Goods by Air	avitima Cada far Dangaraya Caa		
IMDG Code		aritime Code for Dangerous Good	IS	
ISO		rganization for Standardization		
LC LD	Lethal Concent Lethal Dose	tration		
MARPOL		tion: The International Convention	for the Prevention of Pollution from Ships	
OECD		or Economic Cooperation and Dev		
PBT persistent, bioaccu			elopment	
PNEC		Effect Concentration		
REACH		valuation, Authorisation and Rest	riction of Chemicals	
IMDG Code	-	aritime Code for Dangerous Good		
ISO		rganization for Standardization		
		gamental and a standard zation		

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product. You may temporarily notice different labeling on the packaging compared to the safety data sheet until our stocks are sold out. We ask for your understanding.