

			JONAS MIX		🛁 JONAS		
Article		2222201	Reno-Fassaden-F				
Print of Version		12.12.2024 11.0	Revision date: 09. Issue date: 09.12.		EN Page 1 / 8		
SEC		ntification of th	o substanco/miv	ture and of the comp	any/undertaking		
1.1.	Product ide						
1.1.		manufacturer/sup	olier)	2222201			
		/designation		JONAS MIX			
				Reno-Fassaden-Finis Base 1	h		
				UFI: EJA3-K07C-900J	I-KR9N		
1.2.	Relevant id	lentified uses of t	he substance or mi	xture and uses advised	against		
		substance/mixtur nd paints, thinners,	-				
	Uses advise		paint removers.				
	• •	rly used - no					
1.3.			safety data sheet				
	JONAS Farl	-	rter/downstream us	ser/distributor)			
	Dieselstraße			Telephone: +49 2058			
	D-42489 Wi Germany	uelfrath		Telefax: +49 2058 789 E-mail: kontakt@jonas			
	,			Website: www.jonas-			
	Department	t responsible for	information:				
	E-mail (com	petent person):		kontakt@jonas-farben	de		
1.4.		telephone numb	er				
	Emergency		7:30 a.m. to 04:00 p.	+49 2058 789 0 m			
050			-				
	ECTION 2: Hazards identification						
2.1.		on of the substar					
		_	Regulation (EC) No	o regulation (EC) No 127	2/2008 [CLP]		
	Skin Sens.	1 / H317	Respiratory or skir	sensitisation	May cause an allergic skin reaction.		
2.2.	Aquatic Chr	onic 3 / H412	Hazardous to the a	aquatic environment	Harmful to aquatic life with long lasting effects.		
2.2.			lation (EC) No. 1272	2/2008 [CLP]			
	Hazard pict						
	$\mathbf{V}$	Warning					
	Hazard stat	tements					
	H317		use an allergic skin i				
	H412 Brocoution		I to aquatic life with	long lasting effects.			
	P101	ary statements If medio	cal advice is needed,	have product container	or label at hand.		
	P102 P103		ut of reach of childre arefully and follow al				
	P261	When	spraying, use combir	nation filter A2 / P2.			
	P273 P280		elease to the environ	ment. eye protection/face prote	oction		
	P302 + P35			nty of water and soap.			
	P362 + P36			ing and wash it before re			
	P501 Hazard con	Dispose Dispose for labe		iner in accordance with lo			
		2-meth	yl-2H-isothiazol-3-on				
			zisothiazol-3(2H)-on 2H-isothiazol-3-one	e			
		2-00ty1-					



Article No.:2222201Reno-Fassaden-Finish Base 1Print date:12.12.2024Revision date: 09.12.2024ENVersion:11.0Issue date: 09.12.2024Page 2 / 8			Revision date: 09.12.2024	12.12.2024	Print date:
--	--	--	---------------------------	------------	-------------

#### 4,5-Dichloro-2-octyl-2H-isothiazol-3-one

#### Supplemental hazard information

EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
EUH210	Safety data sheet available on request.

#### 2.3. Other hazards

Description

No information available.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Dispersion paint, algicide and fungicide

#### Hazardous ingredients

EC No.	cording to Regulation (EC) No 1272/2008 [CLP] REACH No.	
CAS No. Index No.	Designation classification: // Remark	weight-%
236-675-5		
13463-67-7	titanium dioxide	10 - 20
022-006-00-2	Carc. 2 H351	
220-120-9		
2634-33-5	1,2-benzisothiazol-3(2H)-one	< 0,1
613-088-00-6	Acute Tox 4 H302 / Acute Tox 2 H330 / Skin Irrit. 2 H315 / Eye Dam. 1 H318 / Skin Sens. 1A H317 / Aquatic Acute 1 H400 (M = 1) / Aquatic Chronic 1 H410 (M = 1)	
220-239-6		
2682-20-4	2-methyl-2H-isothiazol-3-one Acute Tox. 3 H301 / Acute Tox. 3 H311 / Acute Tox. 1 H330 / Skin Corr. 1B H314 / Eye Dam. 1 H318 / Skin Sens. 1A H317 / Aquatic Acute 1 H400 (M = 10) / Aquatic Chronic 1 H410 (M = 1) / EUH071	< 0,1
212-950-5		
886-50-0	Terbutryn Acute Tox. 4 H302 / Skin Sens. 1B H317 / Aquatic Acute 1 H400 (M = 100) / Aquatic Chronic 1 H410 (M = 100)	< 0,1
247-761-7		
26530-20-1 613-112-00-5	2-octyl-2H-isothiazol-3-one Acute Tox. 3 H301 / Acute Tox. 3 H311 / Acute Tox. 2 H330 / Skin Corr. 1 H314 / Eye Dam. 1 H318 / Skin Sens. 1A H317 / Aquatic Acute 1 H400 (M = 100) / Aquatic Chronic 1 H410 (M = 100)	< 0,1
264-843-8		
64359-81-5	4,5-Dichloro-2-octyl-2H-isothiazol-3-one Acute Tox. 4 H302 / Acute Tox. 2 H330 / Skin Corr. 1 H314 / Eye Dam. 1 H318 / Skin Sens. 1A H317 / Aquatic Acute 1 H400 (M = 100) / Aquatic Chronic 1 H410 (M = 100)	< 0,1
614-170-4		
67923-10-8	aminofunctional oligosiloxanes Skin Irrit. 2 H315 / Eye Irrit. 2 H319	1 - 2,5

#### Additional information

Full text of classification: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact



EN Page 3 / 8

		JONAS MIX
Article No.: 2	2222201	Reno-Fassaden-Finish Base 1
Print date:	12.12.2024	Revision date: 09.12.2024
Version:	11.0	Issue date: 09.12.2024

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

- 4.2. **Most important symptoms and effects, both acute and delayed** In all cases of doubt, or when symptoms persist, seek medical advice.
- 4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

#### Unsuitable extinguishing media

strong water jet

#### 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

#### 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

#### Additional information

The product itself does not burn.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

#### 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

#### 6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.



Article Ne :	2222204	JONAS MIX
Article No.: Print date:	2222201 12.12.2024	Reno-Fassaden-Finish Base 1 Revision date: 09.12.2024
Version:	12.12.2024	Issue date: 09.12.2024
version.	11.0	1550e uale. 09.12.2024

#### EN Page 4 / 8

#### Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

### Occupational exposure limit values

titanium dioxide

Index No. 022-006-00-2 / EC No. 236-675-5 / CAS No. 13463-67-7

WEL, TWA: 10 mg/m3

Remark: (inhalable fraction) WEL, TWA: 4 mg/m3 Remark: (respirable fraction)

#### Additional information

TWA : Long-term occupational exposure limit value STEL : short-term occupational exposure limit value Ceiling : peak limitation

#### 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

#### Personal protection equipment

#### **Respiratory protection**

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Use only respiratory protection equipment with CE-symbol including four digit test number.

#### Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

# Eye/face protection

Wear closely fitting protective glasses in case of splashes.

#### **Body protection**

Wear antistatic clothing of natural fibres (cotton) or heat resistant synthetic fibres.

#### Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

#### Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Appearance: Colour:	Liquid viskos white
Odour:	low odor
Melting point/freezing point	not determined
Initial boiling point and boiling range:	not determined
Flammability:	not applicable
Lower and upper explosion limit:	



			JONAS MIX		JONA
Article Print d Versio	ate:	2222201 12.12.2024 11.0	Reno-Fassaden Revision date: 0 Issue date: 09.1	)9.12.2024	EN Page 5 / 8
	Lower ex	plosion limit:		0,6	
					glycol n-butyl ether
	Upper ex	plosion limit:		<b>20,4</b> Dipropylene al	glycol n-butyl ether
	Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C:			not applicable	
				Remark: No da	data available
				8 - 8,5	
		viscosity (40°C):		9554,14 mm²/s	
	-	iscosity (20°C):		15000 mPa* s	;
	Solubility(	ies): ubility at 20 °C:		completely mis	iscible
		oefficient n-octand	ol /water (log P	completely init	
	O/W):				
				Remark: not d	determined
		essure at 20 °C:		0,0018 mbar	
	Density ar Density at	d/or relative densi	ty:	1,57 +/- 0,05 g/	n/cm <sup>3</sup>
	-	apour density:		not determine	-
		aracteristics:		not applicable	
	-				
		Stability and read	ctivity		
10.1.	Reactivity No informa	tion available.			
10.2.	Chemical Stable whe section 7.	•	mmended regulat	tions for storage	e and handling. Further information on correct storage: refer
10.3.	-	<b>of hazardous read</b> from strong acids,		strong oxidizing	g agents to avoid exothermic reactions.
10.4.		en applying the reco			e and handling. Further information on correct storage: reference exposure to high temperatures.
10.5.	Incompation not application	b <b>le materials</b> ble			
10.6.	Hazardous	s decomposition pr decomposition byp rogen oxides.		with exposure t	to high temperatures, e.g.: carbon dioxide, carbon monoxid
SEC	TION 11: 1	Foxicological inf	ormation		
11.1.	Informatio	n on hazard classe	es as defined in R	Regulation (EC)	) No 1272/2008
	Acute toxi			- <b></b>	
		available data, the c	lassification criteri	ia are not met.	
	Skin corro	sion/irritation; Ser	ious eye damage	/eye irritation	
	Based on a	available data, the c	lassification criteri	ia are not met.	
	Respirato	ry or skin sensitisa	ition		
	May cause	an allergic skin rea	iction.		
	CMR effec	ts (carcinogenicity	, mutagenicity ar	nd toxicity for re	eproduction)
	titanium di Carcinog	oxide enicity		-	dynamic diameter = 10 µm.

STOT-single exposure; STOT-repeated exposure



Article No.:	2222201	Reno-Fassaden-Finish Base 1
Print date:	12.12.2024	Revision date: 09.12.2024
Version:	11.0	Issue date: 09.12.2024

EN Page 6 / 8

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

#### **Overall assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

#### Remark

There is no information available on the preparation itself . The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and has not been classified.

#### 11.2. Information on other hazards

Endocrine disrupting properties

No information available.

#### **SECTION 12: Ecological information**

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

#### Long-term Ecotoxicity

Harmful to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

Toxicological data are not available.

#### 12.3. Bioaccumulative potential

Toxicological data are not available.

#### Bioconcentration factor (BCF)

Toxicological data are not available.

#### 12.4. Mobility in soil

Toxicological data are not available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

- 12.6. Endocrine disrupting properties No information available.
- 12.7. Other adverse effects

No information available.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Appropriate disposal / Product

#### Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### List of proposed waste codes/waste designations in accordance with EWC

080111\* Waste paint and varnish containing organic solvents or other dangerous substances

#### Appropriate disposal / Package

#### Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste. A 150110packaging containing residues of or contaminated by dangerous substances

#### **SECTION 14: Transport information**



			JONAS MIX			_		JINF	13
Article		2222201	Reno-Fassaden-F						
Print c Versic		12.12.2024 11.0	Revision date: 09 Issue date: 09.12		F	EN Page 7 / 8			
				-					
	ICAO/IATA	ıre is not classif ). ous good in sense	-	-	international	transport reg	julations (	ADR/RID,	IMDG,
1/1	-	r or ID number	or this transport i	egulation.					
14.1.			r	not applicable					
14.2.	UN proper	shipping name							
14.3.	Transport	hazard class(es)	r	not applicable					
14 4	Packing gr	oun		iot applicable					
	r acking gi	oup	r	not applicable					
14.5.	Environme	ental hazards							
	Land transp	oort (ADR/RID)	ı	not applicable					
	Marine poll	utant	ı	not applicable					
14.6.	Special pro	ecautions for user							
	case of an	lways in closed, up accident or leakage safe handling: see	).	ainers. Make sur	e that persons t	ransporting the	product kn	low what to	do in
	Further inf	ormation							
	Land trans	port (ADR/RID)							
	Tunnel rest	riction code	-						
	Sea transp	ort (IMDG)							
	EmS-No.	. ,	r	not applicable					
14.7.	Maritime tr	ansport in bulk ac	cording to IMO ins	truments					
	No transpo	rt as bulk according	IBC - Code.						
SEC	TION 15: F	Regulatory inform	nation						
15.1.	Safety, hea	alth and environme	ental regulations/le	gislation speci	fic for the subs	tance or mixtu	ire		
	EU legislat		C						
	-	(EU) No. 528/2012	on biocides						
	biocide, act	tive substance							
		methyl-2H-isothiazo othiazol-3(2H)-one	I-3-one						
		isothiazol-3(2H)-one							
		H-isothiazol-3-one							
		opinyl butylcarbama							
		o-2-octyl-2H-isothia	zol-3-one						
	Terbutryn <b>Use</b>								
	Main group	2: Preservatives							
		e 7: Film preservati							
	Directive 2 VOC-value	2 <b>010/75/EU on indu</b> (in g/L): 30	strial emissions [l	ndustrial Emiss	ions Directive				

#### Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC product category: (Cat. A/c) ; VOC limit value: 40 g/l

Maximum VOC content of the product in a ready to use condition (in g/L): 30  $\,$ 

#### **National regulations**

#### **Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

#### 15.2. Chemical Safety Assessment



EN Page 8 / 8

Article No.:	2222201	Reno-Fassaden-Finish Base 1
Print date:	12.12.2024	Revision date: 09.12.2024
Version:	11.0	Issue date: 09.12.2024

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

Full text of classif	ication in	section 3:					
Carc. 2 / H351		Carcinogenicity	Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).				
Acute Tox. 4 / H302		Acute toxicity (oral)	Harmful if swallowed.				
Acute Tox. 2 / H330		Acute toxicity (inhalative)	Fatal if inhaled.				
Skin Irrit. 2 / H315		Skin corrosion/irritation	Causes skin irritation.				
Eye Dam. 1 / H318		Serious eye damage/eye irritation	Causes serious eye damage.				
Skin Sens. 1A / H3		Respiratory or skin sensitisation	May cause an allergic skin reaction.				
Aquatic Acute 1 / H	1400	Hazardous to the aquatic environment	Very toxic to aquatic organisms.				
Aquatic Chronic 1 /		Hazardous to the aquatic environment	Very toxic to aquatic life with long lasting effects.				
Acute Tox. 3 / H301	1	Acute toxicity (oral)	Toxic if swallowed.				
Acute Tox. 3 / H311		Acute toxicity (dermal)	Toxic in contact with skin.				
Acute Tox. 1 / H330	)	Acute toxicity (inhalative)	Fatal if inhaled.				
Skin Corr. 1B / H31	4	Skin corrosion/irritation	Causes severe skin burns and eye damage.				
Skin Sens. 1B / H3	17	Respiratory or skin sensitisation	May cause an allergic skin reaction.				
Skin Corr. 1 / H314		Skin corrosion/irritation	Causes severe skin burns and eye damage.				
Eye Irrit. 2 / H319		Serious eye damage/eye irritation	Causes serious eye irritation.				
Abbreviations and	l acronym	S					
ADR		an Agreement concerning the Internation	al Carriage of Dangerous Goods by Road				
OEL	Occup	ational Exposure Limit Value					
BLV	Biologi	cal Limit Value					
CAS	Chemi	cal Abstracts Service					
CLP	Classif	ication, Labelling and Packaging					
CMR	Carcine	ogenic, Mutagenic and Reprotoxic					
DIN	Germa	n Institute for Standardization / German in	dustrial standard				
DNEL	Derived	d No-Effect Level					
EAKV	Europe	an Waste Catalogue Directive					
EC	Effectiv	e Concentration					
EC	Europe	an Community					
EN	Europe	an Standard					
IATA-DGR	Interna	tional Air Transport Association – Danger	ous Goods Regulations				
IBC Code	Interna	tional Code for the Construction and Equi	pment of Ships carrying Dangerous Chemicals in Bulk				
ICAO-TI	Interna	nternational Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous					
	Goods	Goods by Air					
IMDG Code	Interna	nternational Maritime Code for Dangerous Goods					
ISO	Interna	tional Organization for Standardization					
LC	Lethal	Concentration					
LD	Lethal	Lethal Dose					
MARPOL	Maritim	ritime Pollution: The International Convention for the Prevention of Pollution from Ships					
OECD	Organi	sation for Economic Cooperation and Dev	elopment				
PBT	persist	ent, bioaccumulative, toxic					
PNEC		ed No Effect Concentration					
REACH		ation, Evaluation, Authorisation and Restr					
IMDG Code	Interna	ernational Maritime Code for Dangerous Goods					
ISO	Interna	tional Organization for Standardization					
Further informatio	n						

#### **Further information**

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations.Without written approval, the product must not be used for purposes different from those mentioned in section 1.It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations.The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.You may temporarily notice different labeling on the packaging compared to the safety data sheet until our stocks are sold out. We ask for your understanding.



			JONAS MIX		📥 JONAS
Article Print o		2222401 12.12.2024	Reno-Fassaden-F Revision date: 09		EN
Versio	on:	8.0	Issue date: 09.12	.2024	Page 1 / 8
SEC	TION 1: Io	dentification of t	he substance/mix	ture and of the comp	bany/undertaking
1.1.	Product i	dentifier			
		. (manufacturer/sup ne/designation	plier)	2222401 JONAS MIX Reno-Fassaden-Finis Base 3 UFI: EXC3-P08Q-600	
1.2.	Relevant	identified uses of	the substance or mi	xture and uses advised	l against
	Coatings a Uses advis	e substance/mixtu and paints, thinners sed against: perly used - no	-		
1.3.	Details of	the supplier of the	e safety data sheet		
		<b>manufacturer/imp</b> earben GmbH	orter/downstream us	ser/distributor)	
	Dieselstra D-42489 V Germany	ße 42 - 44		Telephone: +49 2058 Telefax: +49 2058 789 E-mail: kontakt@jona Website: www.jonas-	9 55 s-farben.de
	Departme	nt responsible for	information:		
	E-mail (co	mpetent person):		kontakt@jonas-farber	n.de
1.4.	Emergenc	<b>cy telephone numb</b> y telephone: at office time from 0	<b>er</b> 17:30 a.m. to 04:00 p.	+49 2058 789 0 .m.	
SEC		azards identific			
2.1.		tion of the substa			
2.1.			Regulation (EC) No	1272/2008 [CI P]	
		-		to regulation (EC) No 127	72/2008 [CLP].
	Skin Sens		Respiratory or skir		May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.
2.2.	Label eler	nents			
	-		ulation (EC) No. 127	2/2008 [CLP]	
	Hazard pi	ctograms			
		Warning			
	Hazard st H317 H412	May ca	ause an allergic skin Il to aquatic life with		
	Precautio	nary statements		<u>j</u>	
	P101 P102 P103	lf med Keep o Read o	out of reach of childre carefully and follow a	Il instructions.	or label at hand.
	P261 P273 P280 P302 + P3	Avoid I Wear			ection.
	P362 + P3 P501	864 Take o Dispos	ff contaminated cloth e of contents / conta	ning and wash it before re iner in accordance with le	
	Hazard co	1,2-be	elling nyl-2H-isothiazol-3-on nzisothiazol-3(2H)-on -2H-isothiazol-3-one		



ΕN Page 2/8

Article No.: Print date:	2222401 12.12.2024	JONAS MIX Reno-Fassaden-Finish Base 3 Revision date: 09.12.2024
Version:	8.0	Issue date: 09.12.2024

#### 4,5-Dichloro-2-octyl-2H-isothiazol-3-one

Supplemental hazard information

not applicable

#### 2.3. Other hazards

Description

No information available.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Dispersion paint, algicide and fungicide

Hazardous ingree	dients	
Classification ac	cording to Regulation (EC) No 1272/2008 [CLP]	
EC No. CAS No. Index No.	REACH No. Designation classification: // Remark	weight-%
220-120-9		
2634-33-5 613-088-00-6	1,2-benzisothiazol-3(2H)-one Acute Tox. 4 H302 / Acute Tox. 2 H330 / Skin Irrit. 2 H315 / Eye Dam. 1 H318 / Skin Sens. 1A H317 / Aquatic Acute 1 H400 (M = 1) / Aquatic Chronic 1 H410 (M = 1)	< 0,1
220-239-6 2682-20-4	2-methyl-2H-isothiazol-3-one Acute Tox. 3 H301 / Acute Tox. 3 H311 / Acute Tox. 1 H330 / Skin Corr. 1B H314 / Eye Dam. 1 H318 / Skin Sens. 1A H317 / Aquatic Acute 1 H400 (M = 10) / Aquatic Chronic 1 H410 (M = 1) / EUH071	< 0,1
212-950-5 886-50-0	Terbutryn Acute Tox. 4 H302 / Skin Sens. 1B H317 / Aquatic Acute 1 H400 (M = 100) / Aquatic Chronic 1 H410 (M = 100)	< 0,1
247-761-7 26530-20-1 613-112-00-5	2-octyl-2H-isothiazol-3-one Acute Tox. 3 H301 / Acute Tox. 3 H311 / Acute Tox. 2 H330 / Skin Corr. 1 H314 / Eye Dam. 1 H318 / Skin Sens. 1A H317 / Aquatic Acute 1 H400 (M = 100) / Aquatic Chronic 1 H410 (M = 100)	< 0,1
264-843-8		
64359-81-5	4,5-Dichloro-2-octyl-2H-isothiazol-3-one Acute Tox. 4 H302 / Acute Tox. 2 H330 / Skin Corr. 1 H314 / Eye Dam. 1 H318 / Skin Sens. 1A H317 / Aquatic Acute 1 H400 (M = 100) / Aquatic Chronic 1 H410 (M = 100)	< 0,1
614-170-4		
67923-10-8	aminofunctional oligosiloxanes Skin Irrit. 2 H315 / Eye Irrit. 2 H319	1 - 2,5

Additional information

Full text of classification: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek



EN Page 3 / 8

		JONAS MIX
Article No.:	2222401	Reno-Fassaden-Finish Base 3
Print date:	12.12.2024	Revision date: 09.12.2024
Version:	8.0	Issue date: 09.12.2024

#### medical advice immediately.

#### Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

- 4.2. Most important symptoms and effects, both acute and delayed In all cases of doubt, or when symptoms persist, seek medical advice.
- 4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

#### 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

#### 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

#### Additional information

The product itself does not burn.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

## Ventilate affected area. Do not breathe vapours.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

### 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

#### 6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

#### Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.



Article No.: Print date: Version:	2222401 12.12.2024 8.0	JONAS MIX Reno-Fassaden-Finish Base 3 Revision date: 09.12.2024 Issue date: 09.12.2024

EN Page 4 / 8

#### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

# Occupational exposure limit values

not applicable

#### 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

#### Personal protection equipment

#### Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Use only respiratory protection equipment with CE-symbol including four digit test number.

#### Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Eye/face protection

Wear closely fitting protective glasses in case of splashes.

#### Body protection

Wear antistatic clothing of natural fibres (cotton) or heat resistant synthetic fibres.

#### **Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

#### Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Appearance: Colour:	Liquid viskos white
Odour:	low odor
Melting point/freezing point	not determined
Initial boiling point and boiling range:	not determined
Flammability:	not applicable
Lower and upper explosion limit:	
Lower explosion limit:	<b>0,6</b> Dipropylene glycol n-butyl ether
Upper explosion limit:	20,4 Dipropylene glycol n-butyl ether
Flash point:	not applicable
Auto-ignition temperature:	Remark: No data available
Decomposition temperature:	
pH at 20 °C:	8 - 8,5
Kinematic viscosity (40°C):	9489,05 mm²/s
Dynamic viscosity (20°C):	13000 mPa* s



40001	ang to i					JONAS
Article Print d Versio	ate:	2222401 12.12.2024 8.0	JONAS MIX Reno-Fassade Revision date: Issue date: 09.		EN Page 5 / 8	
	Solubility Water so	/(ies): Jubility at 20 °C:		completely miscib	e	
	Partition O/W):	coefficient n-octan	ol /water (log P			
			Remark: not determined			
		ressure at 20 °C:		0,0012 mbar		
	Density a Density a	nd/or relative dens	ity:	1,37 +/- 0,05 g/cm³		
	•	vapour density:		not determined		
		haracteristics:		not applicable		
SEC	TION 10:	Stability and rea	ctivity			
10.1.	Reactivit	<b>y</b> ation available.				
10.2.	Chemical Stable wh section 7.	nen applying the rec	ommended regula	ations for storage and	nandling. Further information	on correct storage: refer to
10.3.		ty of hazardous rea ay from strong acids		d strong oxidizing age	nts to avoid exothermic reaction	ons.
10.4.	<b>Conditions to avoid</b> Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.					
10.5.	Incompatible materials not applicable					
10.6.	Hazardous decomposition products Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.					
SEC	<b>TION 11</b> :	Toxicological in	formation			
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008					
	Acute tox	licity				
	Based on	available data, the	classification crite	ria are not met.		
		osion/irritation; Se		-		
	Based on available data, the classification criteria are not met.					

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

#### STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

#### **Overall assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

#### Remark

There is no information available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and has not been classified.

#### 11.2. Information on other hazards



Print date: 12.12.2024 Revision date: 09.12.2024   Version: 8.0 Issue date: 09.12.2024
--

#### EN Page 6 / 8

#### Endocrine disrupting properties

No information available.

# **SECTION 12: Ecological information**

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

IONIA C MIV

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

#### Long-term Ecotoxicity

Harmful to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

Toxicological data are not available.

#### 12.3. Bioaccumulative potential

Toxicological data are not available.

#### **Bioconcentration factor (BCF)**

Toxicological data are not available.

#### 12.4. Mobility in soil

Toxicological data are not available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Endocrine disrupting properties No information available.

#### 12.7. Other adverse effects

No information available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Appropriate disposal / Product

#### Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### List of proposed waste codes/waste designations in accordance with EWC

080111\* Waste paint and varnish containing organic solvents or other dangerous substances

#### Appropriate disposal / Package

#### Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.A 150110packaging containing residues of or contaminated by dangerous substances

### **SECTION 14: Transport information**

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

not applicable

#### No dangerous good in sense of this transport regulation.

#### 14.1. UN number or ID number

#### 14.2. UN proper shipping name

#### 14.3. Transport hazard class(es)

not applicable 14.4. Packing group

- not applicable
- 14.5. Environmental hazards
  - Land transport (ADR/RID) not applicable



EN Page 7 / 8

Article No.: Print date: Version:	2222401 12.12.2024 8.0	JONAS MIX Reno-Fassaden-Finish Base 3 Revision date: 09.12.2024 Issue date: 09.12.2024	
---	------------------------------	---	--

#### Marine pollutant

not applicable

#### 14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

#### Further information

#### Land transport (ADR/RID)

Tunnel restriction code

#### Sea transport (IMDG)

EmS-No.

#### not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according IBC - Code.

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** legislation

### Regulation (EU) No. 528/2012 on biocides

biocide, active substance 5-chloro-2-methyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one 2-octyl-2H-isothiazol-3-one 2-methyl-2H-isothiazol-3-one 3-iodo-2-propinyl butylcarbamate 4,5-Dichloro-2-octyl-2H-isothiazol-3-one Terbutryn **Use** Main group 2: Preservatives Product-type 7: Film preservatives

#### Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC-value (in g/L): 20

# Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC product category: (Cat. A/c) ; VOC limit value: 40 g/l

Maximum VOC content of the product in a ready to use condition (in g/L): 20

#### National regulations

#### **Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

Fatal if inhaled.

#### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Acute toxicity (inhalative)

### **SECTION 16: Other information**

Acute Tox. 1 / H330

# Full text of classification in section 3:

Full text of	classification in s	section 5.	
Acute Tox.	4 / H302	Acute toxicity (oral)	Harmful if swallowed.
Acute Tox.	2 / H330	Acute toxicity (inhalative)	Fatal if inhaled.
Skin Irrit. 2	/ H315	Skin corrosion/irritation	Causes skin irritation.
Eye Dam. '	1 / H318	Serious eye damage/eye irritation	Causes serious eye damage.
Skin Sens.	1A / H317	Respiratory or skin sensitisation	May cause an allergic skin reaction.
Aquatic Ac	ute 1 / H400	Hazardous to the aquatic environment	Very toxic to aquatic organisms.
Aquatic Ch	ronic 1 / H410	Hazardous to the aquatic environment	Very toxic to aquatic life with long lasting
			effects.
Acute Tox.	3 / H301	Acute toxicity (oral)	Toxic if swallowed.
Acute Tox.	3 / H311	Acute toxicity (dermal)	Toxic in contact with skin.

IONIAS MIX



Article No.: Print date: Version:	2222401 12.12.2024 8.0	JONAS MIX Reno-Fassaden-Finish Base 3 Revision date: 09.12.2024 Issue date: 09.12.2024	EN Page 8 / 8
	orr. 1B / H314	Skin corrosion/irritation	Causes severe skin burns and eye damage.
	ens. 1B / H317 prr. 1 / H314	Respiratory or skin sensitisation Skin corrosion/irritation	May cause an allergic skin reaction.
	. 2 / H319	Serious eye damage/eye irritation	Causes severe skin burns and eye damage. Causes serious eye irritation.
Abbrev	iations and acronyr	ns	
ADR			nal Carriage of Dangerous Goods by Road
OEL		pational Exposure Limit Value	5 5 ,
BLV		gical Limit Value	
CAS	Chem	ical Abstracts Service	
CLP	Class	ification, Labelling and Packaging	
CMR	Carci	nogenic, Mutagenic and Reprotoxic	
DIN	Germ	an Institute for Standardization / German	industrial standard
DNEL	Derive	ed No-Effect Level	
EAKV	Europ	ean Waste Catalogue Directive	
EC	Effect	ive Concentration	
EC	Europ	ean Community	
EN	Europ	ean Standard	
IATA-D		ational Air Transport Association – Dange	
IBC Co			uipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-T		-	nical Instructions for the Safe Transport of Dangerous
IMDG C		s by Air ational Maritime Code for Dangerous Goo	ods
ISO		ational Organization for Standardization	
LC		Concentration	
LD		Dose	
MARPO	DL Mariti	me Pollution: The International Conventio	n for the Prevention of Pollution from Ships
OECD		isation for Economic Cooperation and De	
PBT		tent, bioaccumulative, toxic	·
PNEC	•	cted No Effect Concentration	
REACH	l Regis	tration, Evaluation, Authorisation and Res	striction of Chemicals
IMDG C		ational Maritime Code for Dangerous Goo	
ISO		ational Organization for Standardization	
Eurther information		-	

#### Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations.Without written approval, the product must not be used for purposes different from those mentioned in section 1.It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations.The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.You may temporarily notice different labeling on the packaging compared to the safety data sheet until our stocks are sold out. We ask for your understanding.

\* Data changed compared with the previous version