CAS No.

Index No.

Designation

classification: // Remark



weight-%

			2020/070			JONAS
	e No.: date: on:	1520201 03.07.2024 10.2	JONAS MIX Samtmatt premiu Revision date: 04. Issue date: 04.10.	.10.2023	EN Page 1 / 7	
SEC		dentification of	the substance/mix	ture and of the com	nany/undertaking	
.1.						
	Article No	o. (manufacturer/su me/designation	pplier)	1520201 JONAS MIX Samtmatt premium Base 1		
.2.	Relevant	t identified uses of	the substance or mi	xture and uses advise	ed against	
	Use of th Coatings	e substance/mixto and paints, thinner perly used - no	ure:		-	
1.3.			ne safety data sheet			
		(manufacturer/imp arben GmbH	oorter/downstream us	ser/distributor)		
		aße 42 - 44		Telephone: +49 205	8 789 0	
		Wuelfrath		Telefax: +49 2058 78		
	Germany			E-mail: kontakt@jon Website: www.jonas		
	Departm	ent responsible fo	r information:			
	E-mail (c	ompetent person):		kontakt@jonas-farbe	en.de	
1.4.	Emergen Emergen	cy telephone num	ber 07:30 a.m. to 04:00 p.	+49 2058 789 0		
SEC		Hazards identific	•			
2.1.		ation of the subst	ance or mixture Regulation (EC) No	1272/2008 [C] P]		
		-		ng to regulation (EC) N	o 1272/2008 [CLP].	
				3		
2.2.	Label ele	ements				
	<u>Labelling</u>	according to Rec	ulation (EC) No. 1272	<u>2/2008 [CLP]</u>		
	Hazard p	bictograms				
	Hazard s	statements				
	_	-	oplicable			
	Precauti	onary statements	oplicable			
	Hazard c	omponents for lat	•			
	Supplem EUH211 EUH210				rmed when sprayed. Do n	ot breathe spray or mist.
2.3.	Other ha					
	No inform	nation available.				
SEC	TION 3:	Composition/inf	ormation on ingred	dients		
3.2.	Mixtures					
	Descript	ion Dispe	ersion paint emission-	and solvent-free		
	-	us ingredients	-			
			Regulation (EC) No	1272/2008 [CLP]		
	EC No.		CH No.			weight-%
		1001/	04000			WPINNT_%

IONIAG MIV



Article No.: Print date: Version:	1520201 03.07.2024 10.2	Samtmatt premium Base 1 Revision date: 04.10.2023 Issue date: 04.10.2023	EN Page 2 / 7	
236-675 13463-6 022-006	67-7 ti	tanium dioxide arc. 2 H351		20 - 25
201-074 77-99-6	P	1-2119486799-10 ropylidynetrimethanol lepr. 2 H361		0,1 - 0,5

Additional information

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

Additional information

The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.



	JONAS MIX
1520201	Samtmatt premium Base 1
03.07.2024	Revision date: 04.10.2023
10.2	lssue date: 04.10.2023
	03.07.2024

EN Page 3 / 7

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

titanium dioxide Index No. 022-006-00-2 / EC No. 236-675-5 / CAS No. 13463-67-7

WEL, TWA: 10 mg/m3 Remark: (inhalable fraction) WEL, TWA: 4 mg/m3 Remark: (respirable fraction)

Additional information

TWA : Long-term occupational exposure limit value STEL : short-term occupational exposure limit value Ceiling : peak limitation

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

Do not breathe spray mist or vapor / aerosol. Do not wear respiratory protection. Full and half mask with matching filter (combination filter type A2 / P2).

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibres (cotton) or heat resistant synthetic fibres.





EN Page 4 / 7

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Appearance: Colour:	Liquid viskos white
Odour:	low odor
Melting point/freezing point	not determined
Initial boiling point and boiling range:	not determined
Flammability:	not applicable
Lower and upper explosion limit: Lower explosion limit: Upper explosion limit:	not determined not determined
Flash point:	not applicable
Auto-ignition temperature:	Remark: No data available
Decomposition temperature:	
pH at 20 °C:	9,5 - 10,5
Kinematic viscosity (40°C):	7692,31 mm²/s
Dynamic viscosity (20°C):	11000 mPa* s
Solubility(ies): Water solubility at 20 °C:	completely miscible
Partition coefficient n-octanol /water (log P O/W):	
	Remark: not determined
Vapour pressure at 20 °C:	not determined
Density and/or relative density: Density at 20 °C:	1,43 +/- 0,05 g/cm³
Relative vapour density:	not determined
particle characteristics:	not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

not applicable

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.



ΕN Page 5 / 7

Print date: 03.07.2024 Revision date: 04.10.2023 Version: 10.2 Issue date: 04.10.2023			JONAS MIX Samtmatt premium Base 1 Revision date: 04.10.2023 Issue date: 04.10.2023
---	--	--	---

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

titanium dioxide

Carcinogenicity

Contains less than 1 % titanium dioxide particles with an aerodynamic diameter = 10 µm.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and has not been classified.

11.2. Information on other hazards

Endocrine disrupting properties No information available.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself. Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.



Article No.:	1520201	JONAS MIX Samtmatt premium Base 1
Print date:	03.07.2024	Revision date: 04.10.2023
Version:	10.2	Issue date: 04.10.2023

EN Page 6 / 7

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

Appropriate disposal / Package

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.A 150110 packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

No dangerous good in sense of this transport regulation.

14.1. UN number or ID number

		not applicable
14.2.	UN proper shipping name	
14.3.	Transport hazard class(es)	
		not applicable
14.4.	Packing group	
		not applicable
14.5.	Environmental hazards	
	Land transport (ADR/RID)	not applicable
	Marine pollutant	not applicable

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Further information

Land transport (ADR/RID)

Tunnel restriction code

Sea transport (IMDG)

EmS-No.

not applicable

14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according IBC - Code.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC-value (in g/L): 1

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds VOC product category: (Cat. A/a) ; VOC limit value: 30 g/l Maximum VOC content of the product in a ready to use condition (in g/L): 1

National regulations

Restrictions of occupation



EN 7 / 7

		JONAS MIX	
Article No.:	1520201	Samtmatt premium Base 1	
Print date:	03.07.2024	Revision date: 04.10.2023	
Version:	10.2	Issue date: 04.10.2023	Page

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

15.2. Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

EC No.	Designation	REACH No.
CAS No.		
201-074-9	Propylidynetrimethanol	01-2119486799-10
77-99-6		

SECTION 16: Other information

Full text of classificati	ion in section 3:	
Carc. 2 / H351	Carcinogenicity	Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).
Repr. 2 / H361	Reproductive toxicity	Suspected of damaging fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).

Abbreviations and acronyms

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit Value
BLV	Biological Limit Value
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic
DIN	German Institute for Standardization / German industrial standard
DNEL	Derived No-Effect Level
EAKV	European Waste Catalogue Directive
EC	Effective Concentration
EC	European Community
EN	European Standard
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations
IBC Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous
	Goods by Air
IMDG Code	International Maritime Code for Dangerous Goods
ISO	International Organization for Standardization
LC	Lethal Concentration
LD	Lethal Dose
MARPOL	Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OECD	Organisation for Economic Cooperation and Development
PBT	persistent, bioaccumulative, toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
IMDG Code	International Maritime Code for Dangerous Goods
ISO	International Organization for Standardization
00	

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations.Without written approval, the product must not be used for purposes different from those mentioned in section 1.It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations.The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.



	e No.: date: on:	1520401 03.07.2024 9.2	JONAS MIX Samtmatt premin Revision date: 03 Issue date: 04.10	3.07.2024	EN Page 1 / 7	
SEC	TION 1: I	dentification of	the substance/mix	xture and of the	company/undertaki	าต
.1.	Product					.9
	Article No	o. (manufacturer/su me/designation	pplier)	1520401 JONAS MIX Samtmatt prem Base 3	ium	
.2.	Relevant	identified uses of	the substance or m	ixture and uses ad	vised against	
	Coatings	e substance/mixtu and paints, thinners perly used - no	-			
1.3.	Details of	f the supplier of th	e safety data sheet			
	JONAS F	arben GmbH aße 42 - 44 Wuelfrath	orter/downstream u	Telephone: +49 Telefax: +49 20	58 789 55 @jonas-farben.de	
	Departme	ent responsible fo	r information:			
	E-mail (co	ompetent person):		kontakt@jonas-	farben.de	
1.4.	Emergen Emergen	cy telephone num cy telephone: at office time from		+49 2058 789 0		
			· · · · · · · · · ·			
SEC	TION 2: H	lazards identific	•			
		Hazards identific ation of the substa	ation			
	Classific	ation of the substa	ation			
	Classific Classific	ation of the substa ation according to	ance or mixture Regulation (EC) No	9 1272/2008 [CLP]	C) No 1272/2008 [CLP]	
2.1.	Classific Classific The mixtu	ation of the substa ation according to re is classified as r	ance or mixture Regulation (EC) No	9 1272/2008 [CLP]	C) No 1272/2008 [CLP]	
2.1.	Classific Classific The mixtu Label ele	ation of the substa ation according to rre is classified as r ments	ance or mixture Regulation (EC) No not hazardous accord	1272/2008 [CLP] ling to regulation (E	C) No 1272/2008 [CLP]	
2.1.	Classific Classific The mixtu Label ele	ation of the substa ation according to ire is classified as r ments according to Reg	ance or mixture Regulation (EC) No	1272/2008 [CLP] ling to regulation (E	C) No 1272/2008 [CLP]	
2.1.	Classific Classific The mixtu Label ele	ation of the substa ation according to rre is classified as r ments	ance or mixture Regulation (EC) No not hazardous accord	1272/2008 [CLP] ling to regulation (E	C) No 1272/2008 [CLP]	
2.1.	Classifica Classifica The mixtu Label ele <u>Labelling</u> Hazard p	ation of the substa ation according to are is classified as r ments according to Reg ictograms tatements	ance or mixture Regulation (EC) No not hazardous accord	1272/2008 [CLP] ling to regulation (E	C) No 1272/2008 [CLP]	
2.1.	Classific Classific The mixtu Label ele Labelling Hazard p	ation of the substa ation according to ation according to re is classified as r ments according to Reg ictograms tatements not ap onary statements	ance or mixture Regulation (EC) No not hazardous accord	1272/2008 [CLP] ling to regulation (E	C) No 1272/2008 [CLP]	
2.1.	Classifica Classifica The mixtu Label ele <u>Labelling</u> Hazard p Hazard s Precautio	ation of the substa ation according to are is classified as r ments according to Reg ictograms tatements not ap onary statements not ap omponents for lab	ation ance or mixture Regulation (EC) No not hazardous accord ulation (EC) No. 127 oplicable	1272/2008 [CLP] ling to regulation (E	C) No 1272/2008 [CLP]	
2.1.	Classific Classific The mixtu Label ele Labelling Hazard p Hazard s Precautio Hazard c	ation of the substa ation according to are is classified as r ments according to Reg ictograms tatements not ap onary statements not ap omponents for lab not ap	ation ance or mixture Regulation (EC) No not hazardous accord ulation (EC) No. 127 oplicable oplicable pelling oplicable	1272/2008 [CLP] ling to regulation (E	C) No 1272/2008 [CLP]	
2.1.	Classifica Classifica The mixtu Label ele Labelling Hazard p Hazard s Precautio Hazard c Supplem Other haz	ation of the substa ation according to are is classified as r ments according to Reg ictograms tatements not ap omponents for lab not ap ental hazard inforn not ap	ation ance or mixture Regulation (EC) No not hazardous accord ulation (EC) No. 127 oplicable policable policable mation	1272/2008 [CLP] ling to regulation (E	C) No 1272/2008 [CLP]	
2.1.	Classifica Classifica The mixtu Label ele Labelling Hazard p Hazard s Precautio Hazard c Supplem Other haz	ation of the substa ation according to ure is classified as r ments according to Reg ictograms tatements not ap onary statements not ap omponents for lab not ap ental hazard inform	ation ance or mixture Regulation (EC) No not hazardous accord ulation (EC) No. 127 oplicable policable policable mation	1272/2008 [CLP] ling to regulation (E	C) No 1272/2008 [CLP]	
2.1. 2.2.	Classific Classific The mixtu Label ele Labelling Hazard p Hazard s Precautio Hazard c Supplem Other haz	ation of the substa ation according to ure is classified as r ments according to Reg ictograms tatements not ap omponents for lab not ap ental hazard inform not ap zards	ation ance or mixture Regulation (EC) No not hazardous accord ulation (EC) No. 127 oplicable policable policable mation	1272/2008 [CLP] ding to regulation (E 72/2008 [CLP]	C) No 1272/2008 [CLP]	
2.1. 2.2. 2.3. SEC	Classific Classific The mixtu Label ele Labelling Hazard p Hazard s Precautio Hazard c Supplem Other haz	ation of the substa ation according to ation according to re is classified as r ments according to Reg ictograms tatements not ap omponents for lab not ap ental hazard inform not ap zards nation available.	ation ance or mixture Regulation (EC) No not hazardous accord ulation (EC) No. 127 oplicable oplicable mation oplicable mation oplicable	1272/2008 [CLP] ding to regulation (E 72/2008 [CLP]	C) No 1272/2008 [CLP]	
2.1. 2.2. 2.3. SEC	Classific Classific The mixtu Label ele Labelling Hazard p Hazard s Precautio Hazard c Supplem Other ha No inform TION 3: C Mixtures Descripti	ation of the substa ation according to are is classified as r ments according to Reg ictograms tatements not ap omponents for lab not ap ental hazard inform not ap cards ation available.	ation ance or mixture Regulation (EC) No not hazardous accord ulation (EC) No. 127 oplicable oplicable mation oplicable mation oplicable	1272/2008 [CLP] ding to regulation (E 72/2008 [CLP]	C) No 1272/2008 [CLP]	
2.1. 2.2.	Classific Classific The mixtu Label ele Labelling Hazard p Hazard s Precautio Hazard c Supplem Other haz No inform TION 3: C Mixtures Descripti Hazardou	ation of the substa ation according to ation according to ure is classified as r ments according to Reg ictograms tatements not ap omponents for lab not ap ental hazard inform not ap zards nation available. Composition/inform	ation ance or mixture Regulation (EC) No. not hazardous accord ulation (EC) No. 127 oplicable policable policable mation oplicable policable mation policable policable mation policable	1272/2008 [CLP] ding to regulation (E 72/2008 [CLP]	C) No 1272/2008 [CLP]	
2.1. 2.2. 2.3. SEC	Classific Classific The mixtu Label ele Labelling Hazard p Hazard s Precautio Hazard c Supplem Other haz No inform TION 3: C Mixtures Descripti Hazardou	ation of the substa ation according to ation according to ure is classified as r ments according to Reg ictograms tatements not ap omponents for lab not ap ental hazard inform not ap zards tation available. Composition/information ion Dispetion ation according to REAC	ation ance or mixture Regulation (EC) No. not hazardous accord ulation (EC) No. 127 oplicable policable mation oplicable mation oplicable mation oplicable	1272/2008 [CLP] ding to regulation (E 72/2008 [CLP]	C) No 1272/2008 [CLP]	weight-%



Article No.:	1520401	Samtmatt premium Base 3
Print date:	03.07.2024	Revision date: 03.07.2024
Version:	9.2	Issue date: 04.10.2023

EN Page 2 / 7

not applicable

IONIAG MIV

Additional information

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

Additional information

The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).



Article No.: Print date: Version:	1520401 03.07.2024 9.2	JONAS MIX Samtmatt premium Base 3 Revision date: 03.07.2024 Issue date: 04.10.2023
version:	9.2	Issue date: 04.10.2023

EN Page 3 / 7

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

not applicable

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

Do not breathe spray mist or vapor / aerosol. Do not wear respiratory protection. Full and half mask with matching filter (combination filter type A2 / P2).

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibres (cotton) or heat resistant synthetic fibres.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Appearance:	viskos



			JONAS MIX					HJ
Article Print c Versic	date:	1520401 03.07.2024 9.2	Samtmatt prem Revision date: Issue date: 04.	03.07.2024	Page	EN e 4 / 7		
	Colour:			transparent				
	Odour:			low odor				
	Melting po	oint/freezing point		not determined				
	Initial boil	ing point and boilir	ng range:	not determined				
	Flammabi	lity:		not applicable				
	Lower ex	d upper explosion I kplosion limit: kplosion limit:	imit:	not determined not determined				
	Flash poir	nt:		not applicable				
	Auto-ignit	ion temperature:		Remark: No data a	available			
	Decompo	sition temperature:						
	pH at 20 °	C:		9,5 - 10,5				
	Kinematic	viscosity (40°C):		25403,23 mm²/s				
	Dynamic v	viscosity (20°C):		31500 mPa* s				
		lubility at 20 °C:		completely miscib	le			
	Partition o O/W):	coefficient n-octanc	ol /water (log P	Remark: not deter	minod			
	Vanaur n	essure at 20 °C:		not determined	mineu			
		nd/or relative densi	tv:	not determined				
	Density a	t 20 °C:	ty.	1,24 +/- 0,05 g/cm³ not determined	3			
		apour density: haracteristics:						
	-			not applicable				
SEC	TION 10:	Stability and read	ctivity					
10.1.	Reactivity No informa	r ation available.						
10.2.	Chemical Stable who section 7.		mmended regula	tions for storage and	handling. Furthe	r information	on correct storage:	refer to
10.3.	Possibility of hazardous reactions Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.							
10.4.		en applying the reco		tions for storage and s may form with expo			on correct storage:	refer to
10.5.	Incompati not applica	ble materials able						
10.6.	Hazardous	s decomposition prosition prosition by s decomposition by progen oxides.		n with exposure to hi	gh temperatures,	e.g.: carbor	n dioxide, carbon mo	onoxide,
SEC	TION 11:	Toxicological inf	ormation					
11.1.	Informatio	on on hazard classe	es as defined in l	Regulation (EC) No ²	1272/2008			
	Acute tox	icity						
	Based on	available data, the c	lassification crite	ria are not met.				
	Skin corre	osion/irritation; Ser	ious eye damage	e/eye irritation				
	Based on	available data, the c	lassification criter	ria are not met.				
	-	ry or skin sensitisa						
Bacad an available data, the elacsificati		I a a a triba a stra a subserv	at a subserve at subserve at					

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)



Article No.:	1520401	Samtmatt premium Base 3
Print date:	03.07.2024	Revision date: 03.07.2024
Version:	9.2	Issue date: 04.10.2023
	•.=	

EN Page 5 / 7

Based on available data, the classification criteria are not met.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and has not been classified.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. **Mobility in soil** Toxicological data are not available.

- 12.5. Results of PBT and vPvB assessment The substances in the mixture do not mee
 - The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
- 12.6. Endocrine disrupting properties No information available.
- 12.7. **Other adverse effects** No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

Appropriate disposal / Package

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.A 150110 packaging



EN Page 6 / 7

	emium Base 3 e: 03.07.2024)4.10.2023
--	---

containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

No dangerous good in sense of this transport regulation.

14.1. UN number or ID number

not applicable

not applicable

not applicable

not applicable

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards Land transport (ADR/RID)

Marine pollutant not applicable

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Further information

Land transport (ADR/RID)

Tunnel restriction code

Sea transport (IMDG)

EmS-No.

not applicable

14.7. Maritime transport in bulk according to IMO instruments No transport as bulk according IBC - Code.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC-value (in g/L): 1

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds VOC product category: (Cat. A/b) ; VOC limit value: 100 g/l

Maximum VOC content of the product in a ready to use condition (in g/L): 1

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

an Agreement concerning the International Carriage of Dangerous Goods by Road
ational Exposure Limit Value
cal Limit Value
cal Abstracts Service
ication, Labelling and Packaging



Article No.: Print date: Version:	1520401 03.07.2024 9.2	JONAS MIX Samtmatt premium Base 3 Revision date: 03.07.2024 Issue date: 04.10.2023	EN Page 7 / 7	
CMR	Carcino	genic, Mutagenic and Reprotoxic		
DIN		Institute for Standardization / Germ	nan industrial standard	
DNEL	Derived	No-Effect Level		
EAKV	Europe	an Waste Catalogue Directive		
EC	Effectiv	e Concentration		
EC	Europe	an Community		
EN	Europe	European Standard		
IATA-DGR		International Air Transport Association – Dangerous Goods Regulations		
IBC Code		International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk		
ICAO-TI		International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air		
IMDG Code	e Internat	ional Maritime Code for Dangerous	Goods	
ISO	Internat	International Organization for Standardization		
LC	Lethal (Lethal Concentration		
LD	Lethal [Lethal Dose		
MARPOL	MARPOL Maritime Pollution: The International Convention for the Prevention of Pollution from Ships		ention for the Prevention of Pollution from Ships	
OECD	Organis	ation for Economic Cooperation and	d Development	
PBT	•	ent, bioaccumulative, toxic		
PNEC	Predicte	Predicted No Effect Concentration		
REACH		ation, Evaluation, Authorisation and		
IMDG Code		ional Maritime Code for Dangerous		
ISO	Internat	ional Organization for Standardization	on	
Further inf	ormation			

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations.Without written approval, the product must not be used for purposes different from those mentioned in section 1.It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations.The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

* Data changed compared with the previous version