

			JONAS			<b>IAD</b>
Article Print c Versic	late: 12.	5001 12.2024	Sil-Fassadenfarbe Revision date: 09.1 Issue date: 09.12.2		EN Page 1 / 9	
SEC	TION 1. Identif	ication of the	e substance/mixtu	ure and of the comp	anv/undertaking	
1.1.	Product identifi					
1.1.	Article No. (man Trade name/des	ufacturer/supp	lier)	1305001 JONAS Sil-Fassadenfarbe UFI: 1N54-F021-E000	-PHF8	
1.2.	Relevant identi	fied uses of th	e substance or mixt	ture and uses advised	against	
	Use of the subs Coatings and pa Uses advised ag when properly u	aints, thinners, j gainst:				
1.3.	Details of the s	upplier of the s	safety data sheet			
			ter/downstream use	r/distributor)		
	JONAS Farben ( Dieselstraße 42 D-42489 Wuelfra Germany	- 44		Telephone: +49 2058 Telefax: +49 2058 789 E-mail: kontakt@jonas Website: www.jonas-f	955 s-farben.de	
	Department res	ponsible for ir	nformation:			
	E-mail (compete	ent person):		kontakt@jonas-farben	.de	
1.4.	Emergency telep Emergency telep available at offic	phone:	<b>r</b> :30 a.m. to 04:00 p.m	+49 2058 789 0		
SEC	TION 2: Hazaro	ds identificat	ion			
2.1.	Classification o	of the substand	ce or mixture			
			egulation (EC) No 12	272/2008 [CLP]		
	The mixture is cl	lassified as haz	zardous according to	regulation (EC) No 127	2/2008 [CLP].	
	Skin Sens. 1 / H Aquatic Chronic	-	Respiratory or skin s Hazardous to the aq		May cause an allergic skin reaction. Harmful to aquatic life with long lastir	ng effects.
2.2.	Label elements					
	Labelling accor	rding to Regula	ation (EC) No. 1272/	2008 [CLP]		
	Hazard pictogra	ams				
	<b>!</b> w	Varning				
	Hazard stateme H317 H412	May cau Harmful	se an allergic skin re to aquatic life with lo			
	Precautionary s		al advice is pooded. H	ave product container	or label at hand	
	P101If medical advice is needed, have product container or label at hand.P102Keep out of reach of children.P103Read carefully and follow all instructions.P261When spraying, use combination filter A2 / P2.P272Avaid release to the environment.					
	P273Avoid release to the environment.P280Wear protective gloves and eye protection/face protection.P302 + P352IF ON SKIN: Wash with plenty of water and soap.P362 + P364Take off contaminated clothing and wash it before reuse.P501Dispose of contents / container in accordance with local regulations.					
	Hazard compor	-				



Article Print d Versio	late:	1305001 12.12.2024 9.0	JONAS Sil-Fassadenfarbe Revision date: 09.12.2024 Issue date: 09.12.2024	EN Page 2/9
		4,5-D	ichloro-2-octyl-2H-isothiazol-3-one	
	Supplemen EUH211 EUH210			be formed when sprayed. Do not breathe spray or mist.
2.3.	Other haza	rds		
	No informat	ion available.		
SEC	TION 3: Co	mposition/inf	ormation on ingredients	
3.2.	Mixtures			
	Description	Dispe	ersion paint, algicide and fungicide	
	Hazardous	ingredients		
	Classificati	on according to	Regulation (EC) No 1272/2008 [CLP]	

EC No. CAS No.	REACH No. Designation	weight-%
Index No.	classification: // Remark	weight-76
236-675-5		
13463-67-7	titanium dioxide	5 - 10
022-006-00-2	Carc. 2 H351	
220-120-9		
2634-33-5	1,2-benzisothiazol-3(2H)-one	< 0,1
613-088-00-6	Acute Tox. 4 H302 / Acute Tox. 2 H330 / Skin Irrit. 2 H315 / Eye Dam. 1	
	H318 / Skin Sens. 1A H317 / Aquatic Acute 1 H400 (M = 1) / Aquatic	
	Chronic 1 H410 (M = 1)	
220-239-6	2 methyl 211 insthiozol 2 one	- 0.1
2682-20-4	2-methyl-2H-isothiazol-3-one Acute Tox. 3 H301 / Acute Tox. 3 H311 / Acute Tox. 1 H330 / Skin Corr.	< 0,1
	1B H314 / Eye Dam. 1 H318 / Skin Sens. 1A H317 / Aquatic Acute 1	
	H400 (M = 10) / Aquatic Chronic 1 H410 (M = 1) / EUH071	
212-950-5		
886-50-0	Terbutryn	< 0,1
	Acute Tox. 4 H302 / Skin Sens. 1B H317 / Aquatic Acute 1 H400 (M = 100)	
	/ Aquatic Chronic 1 H410 (M = 100)	
247-761-7		
26530-20-1	2-octyl-2H-isothiazol-3-one	< 0,1
613-112-00-5	Acute Tox. 3 H301 / Acute Tox. 3 H311 / Acute Tox. 2 H330 / Skin Corr. 1	
	H314 / Eye Dam. 1 H318 / Skin Sens. 1A H317 / Aquatic Acute 1 H400 (M	
264-843-8	= 100) / Aquatic Chronic 1 H410 (M = 100)	
204-043-0 64359-81-5	4,5-Dichloro-2-octyl-2H-isothiazol-3-one	< 0,1
0+000-01-0	Acute Tox. 4 H302 / Acute Tox. 2 H330 / Skin Corr. 1 H314 / Eye Dam. 1	< 0,1
	H318 / Skin Sens. 1A H317 / Aquatic Acute 1 H400 ( $M = 100$ ) / Aquatic	
	Chronic 1 H410 (M = 100)	
	· · · ·	
55965-84-9	Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and	< 0,1
613-167-00-5	2-methyl-2H-isothiazol-3-one (3:1)	
	Acute Tox. 3 H301 / Acute Tox. 2 H310 / Acute Tox. 2 H330 / Skin Corr.	
	1C H314 / Eye Dam. 1 H318 / Skin Sens. 1A H317 / Aquatic Acute 1	
	H400 (M = 100) / Aquatic Chronic 1 H410 (M = 100)	

**SECTION 4: First aid measures** 

## 4.1. Description of first aid measures

### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation



		JONAS		
Article No.:	1305001	Sil-Fassadenfarbe		
Print date:	12.12.2024	Revision date: 09.12.2024	EN	
Version:	9.0	Issue date: 09.12.2024	Page 3 / 9	

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

### **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

## 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

# 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

### Unsuitable extinguishing media

strong water jet

### 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

### 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

### Additional information

The product itself does not burn.

### SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

#### 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

#### 6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".



		JONAS
Article No.:	1305001	Sil-Fassadenfarbe
Print date:	12.12.2024	Revision date: 09.12.2024
Version:	9.0	lssue date: 09.12.2024

EN Page 4 / 9

### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

### Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limit values

#### titanium dioxide

Index No. 022-006-00-2 / EC No. 236-675-5 / CAS No. 13463-67-7

WEL, TWA: 10 mg/m3 Remark: (inhalable fraction) WEL, TWA: 4 mg/m3 Remark: (respirable fraction)

### Additional information

TWA : Long-term occupational exposure limit value STEL : short-term occupational exposure limit value Ceiling : peak limitation

### 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

#### Personal protection equipment

### **Respiratory protection**

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Use only respiratory protection equipment with CE-symbol including four digit test number.

#### Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Eye/face protection

Wear closely fitting protective glasses in case of splashes.

## Body protection

Wear antistatic clothing of natural fibres (cotton) or heat resistant synthetic fibres.

#### Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

#### Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Appearance:	viskos
Colour:	white
Odour:	low odor
Melting point/freezing point	not determined
Initial boiling point and boiling range:	not determined



Article N Print dat Version:	te: 12	805001 2.12.2024 0	JONAS Sil-Fassadenfarl Revision date: 0 Issue date: 09.1	9.12.2024	Et Page 5 / S	
F	-lammability:			not applicable		
	Lower and upper explosion limit: Lower explosion limit: Upper explosion limit: Flash point: Auto-ignition temperature:		imit:	not determined		
F				not applicable		
				Remark: No data a	available	
0	Decompositio	n temperature:				
	oH at 20 °C:	•		8 - 8,5		
K	Kinematic vis	cosity (40°C):		8383,23 mm²/s		
0	Dynamic visco	osity (20°C):		14000 mPa* s		
	Solubility(ies) Water solubil			completely miscib	le	
	Partition coefficient n-octanol /water (log P O/W):		ol /water (log P			
				Remark: not deter	mined	
	apour press			not determined		
	Density and/o Density at 20	r relative densi °C:	ty:	1,67 +/- 0,05 g/cm <sup>3</sup>	3	
F	Relative vapo	ur density:		not determined		
p	particle chara	cteristics:		not applicable		
SECTI	ION 10: Stal	oility and read	ctivity			
	Reactivity No information	available.				
S	<ul> <li>Chemical stability         Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer t section 7.     </li> </ul>					
	<b>Possibility of hazardous reactions</b> Keep away from strong acids, strong bases and strong oxidizing agents to a			ents to avoid exotherm	ic reactions.	
S		pplying the reco	•	•	handling. Further info sure to high temperat	ormation on correct storage: refer to ures.
10.5. <b>I</b> I	Incompatible materials					

not applicable

#### 10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

### Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

titanium dioxide

Carcinogenicity

Contains less than 1 % titanium dioxide particles with an aerodynamic diameter = 10  $\mu$ m.

STOT-single exposure; STOT-repeated exposure



	JUNAS
1305001	Sil-Fassadenfarbe
12.12.2024	Revision date: 09.12.2024
9.0	Issue date: 09.12.2024

EN Page 6 / 9

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

#### **Overall assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

#### Remark

There is no information available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and has not been classified.

#### 11.2. Information on other hazards

Endocrine disrupting properties

No information available.

### **SECTION 12: Ecological information**

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

### Long-term Ecotoxicity

Harmful to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

Toxicological data are not available.

#### 12.3. Bioaccumulative potential

Toxicological data are not available.

#### Bioconcentration factor (BCF)

Toxicological data are not available.

#### 12.4. Mobility in soil

Toxicological data are not available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

- 12.6. Endocrine disrupting properties No information available.
- 12.7. Other adverse effects

No information available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Appropriate disposal / Product

#### Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### List of proposed waste codes/waste designations in accordance with EWC

080111\* Waste paint and varnish containing organic solvents or other dangerous substances

#### Appropriate disposal / Package

#### Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste. A 150110packaging containing residues of or contaminated by dangerous substances

#### **SECTION 14: Transport information**




accoru	ing to Regulation (E				
Article N Print dat Version:	te: 12.12.2024	JONAS Sil-Fassader Revision date Issue date: 0	e: 09.12.2024	EN Page 7 / 9	
IC	This mixture is not c CAO/IATA). Io dangerous good in a	-	-	ternational transport reg	ulations (ADR/RID, IMDG,
	JN number or ID numb	-			
-		-	not applicable		
14.2. <b>U</b>	JN proper shipping na	me			
14.3. <b>T</b>	ransport hazard class	s(es)	not applicable		
14.4. <b>P</b>	Packing group		not applicable		
14.5. <b>E</b>	Environmental hazards	5			
	and transport (ADR/RID	D)	not applicable		
	larine pollutant		not applicable		
T C	Frecial precautions for Transport always in clos rase of an accident or le Advices on safe handling	ed, upright and safe o eakage.	containers. Make sure th	nat persons transporting the	product know what to do in
E	urther information				
	and transport (ADR/RI	ID)	-		
	<b>Sea transport (IMDG)</b> EmS-No.		not applicable		
	Maritime transport in b No transport as bulk acc	-	O instruments		
SECTI	ON 15: Regulatory i	information			
	Safety, health and envi EU legislation	ronmental regulation	ns/legislation specific 1	for the substance or mixtu	re
b 1 2 3 4 T U M	Regulation (EU) No. 526 iocide, active substance ,2-benzisothiazol-3(2H) -octyl-2H-isothiazol-3-o -methyl-2H-isothiazol-3 -iodo-2-propinyl butylca ,5-Dichloro-2-octyl-2H-i ferbutryn Ise Main group 2: Preservati Product-type 7: Film preservati	e I-one I-one Iarbamate Isothiazol-3-one			
D			ns [Industrial Emission	s Directive]	
V	OC product category: (	Cat. A/c) ; VOC limit	nissions of volatile org value: 40 g/l ady to use condition (in g	•	
N	lational regulations				
	Restrictions of occupation of occupation of occupation of the second sec		e Maternity Protection	Directive 92/85/EEC or stri	cter national regulations, if

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

## 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



# **SECTION 16: Other information**

Full text of classification in section 3:						
Carc. 2 / H351	Carcinogenicity	Suspected of causing cancer (state route of				
		exposure if it is conclusively proven that no				
		other routes of exposure cause the hazard).				
Acute Tox. 4 / H302	Acute toxicity (oral)	Harmful if swallowed.				
Acute Tox. 2 / H330	Acute toxicity (inhalative)	Fatal if inhaled.				
Skin Irrit. 2 / H315	Skin corrosion/irritation	Causes skin irritation.				
Eye Dam. 1 / H318	Serious eye damage/eye irritation	Causes serious eye damage.				
Skin Sens. 1A / H317	Respiratory or skin sensitisation	May cause an allergic skin reaction.				
Aquatic Acute 1 / H400	Hazardous to the aquatic environm					
Aquatic Chronic 1 / H41		effects.				
Acute Tox. 3 / H301	Acute toxicity (oral)	Toxic if swallowed.				
Acute Tox. 3 / H311	Acute toxicity (dermal)	Toxic in contact with skin.				
Acute Tox. 1 / H330	Acute toxicity (inhalative)	Fatal if inhaled.				
Skin Corr. 1B / H314	Skin corrosion/irritation	Causes severe skin burns and eye damage.				
Skin Sens. 1B / H317	Respiratory or skin sensitisation	May cause an allergic skin reaction.				
Skin Corr. 1 / H314	Skin corrosion/irritation	Causes severe skin burns and eye damage.				
Acute Tox. 2 / H310	Acute toxicity (dermal)	Fatal in contact with skin.				
Skin Corr. 1C / H314	Skin corrosion/irritation	Causes severe skin burns and eye damage.				
Abbreviations and acro	onyms					
		ational Carriage of Dangerous Goods by Road				
	Occupational Exposure Limit Value					
BLV B	iological Limit Value					
	Chemical Abstracts Service					
	lassification, Labelling and Packaging					
	arcinogenic, Mutagenic and Reprotoxic					
	German Institute for Standardization / Germa	an industrial standard				
	Perived No-Effect Level					
	uropean Waste Catalogue Directive					
	ffective Concentration					
	uropean Community					
	uropean Standard					
		ional Air Transport Association – Dangerous Goods Regulations				
	rnational Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk rnational Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous					
	Goods by Air	chilical instructions for the Sale transport of Dangerous				
	nternational Maritime Code for Dangerous (	Goods				
ISO In	nternational Organization for Standardizatio	n				
LC Lo	ethal Concentration					
LD Lo	ethal Dose					
MARPOL N	laritime Pollution: The International Conver	tion for the Prevention of Pollution from Ships				
OECD Organisation for Economic Cooperation a		Development				
	ersistent, bioaccumulative, toxic	stent, bioaccumulative, toxic				
	redicted No Effect Concentration					
		stration, Evaluation, Authorisation and Restriction of Chemicals				
		ational Maritime Code for Dangerous Goods				
ISO In	nternational Organization for Standardizatio	n				
Euroth an information						

#### **Further information**

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations.Without written approval, the product must not be used for purposes different from those mentioned in section 1.It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product. You may temporarily notice different labeling on the packaging compared to the safety data sheet until our stocks are sold out. We ask for your understanding.

\* Data changed compared with the previous version



ΕN Page 8/9

Article No.:1305001JONASPrint date:12.12.2024Revision date: 09.12.2024Version:9.0Issue date: 09.12.2024



EN Page 9 / 9