

	-					VAS
Article	e No.:	1530001	JONAS Ultramatt premium			
Print o Versio		03.07.2024 6.3	Revision date: 04.1 Issue date: 04.10.2		EN Page 1 / 7	
000		loutification of t				
			ne substance/mixt	ure and of the compan	y/undertaking	
1.1.	Product in			4500004		
		<pre>(manufacturer/sup ne/designation</pre>	plier)	1530001 JONAS		
		. <i></i>		Ultramatt premium		
1.2.	Relevant	identified uses of	the substance or mix	ture and uses advised ag	ainst	
		substance/mixtu	-			
	-	and paints, thinners erly used - no	, paint removers.			
1.3.		•	e safety data sheet			
			orter/downstream use	er/distributor)		
		arben GmbH		<b>T</b>     (0.0050 <b>T</b> )		
	Dieselstra D-42489 V			Telephone: +49 2058 789 Telefax: +49 2058 789 55		
	Germany			E-mail: kontakt@jonas-fa		
	_			Website: www.jonas-farb	en.de	
	Departme	nt responsible for	information:			
	E-mail (co	mpetent person):		kontakt@jonas-farben.de		
1.4.		y telephone numb	er			
	-	y telephone:	7:20 a m to 04:00 a a	+49 2058 789 0		
			7:30 a.m. to 04:00 p.n	n.		
SEC	TION 2: H	azards identifica	ation			
2.1.						
		-	Regulation (EC) No 1			
	The mixtur	e is classified as n	ot hazardous accordin	ig to regulation (EC) No 127	/2/2008 [CLP].	
2.2.	Label eler	nonte				
2.2.			lation (FC) No. 1272	/2008 [CI P]		
	<u>Labelling according to Regulation (EC) No. 1272/2008 [CLP]</u> Hazard pictograms					
		0				
	Hazard st	atements				
			blicable			
	Precautio	nary statements	olicable			
	Hazard co	omponents for lab				
			blicable			
		ental hazard inform				
	EUH211 EUH210		ng! Hazardous respirat data sheet available o		when sprayed. Do not breathe sp	ray or mist.
2.3.	Other haz	-				
-	No inform	ation available.				
SEC	TION 3: C	omposition/info	rmation on ingredi	ients		
3.2.	Mixtures					
J.Z.	Descriptio	n Disper	sion paint emission- a	nd solvent-free		
	-	s ingredients				
		•	Regulation (EC) No 1	272/2008 [CLP]		
	EC No.	REAC				

EC No.	REACH No.
CAS No.	Designation
Index No.	classification: // Remark

weight-%



Article No.: Print date: Version:	1530001 03.07.2024 6.3	JONAS Ultramatt premium Revision date: 04.10.2023 Issue date: 04.10.2023	EN Page 2 / 7	
236-675 13463-6	-	itanium dioxide		10 - 20
022-006		Carc. 2 H351		10 20
201-074	-9 0	1-2119486799-10		
77-99-6	F	Propylidynetrimethanol		0,1 - 0,5
	F	Repr. 2 H361		

### Additional information

Full text of classification: see section 16

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

# In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

### Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

### **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

# 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

### SECTION 5: Firefighting measures

### 5.1. Extinguishing media

### Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

# 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

# 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

### Additional information

The product itself does not burn.

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

# 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.



	JONAS
1530001	Ultramatt premium
03.07.2024	Revision date: 04.10.2023
6.3	Issue date: 04.10.2023
	03.07.2024

EN Page 3 / 7

### 6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

# SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

### Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

### Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### Occupational exposure limit values

titanium dioxide Index No. 022-006-00-2 / EC No. 236-675-5 / CAS No. 13463-67-7

WEL, TWA: 10 mg/m3 Remark: (inhalable fraction) WEL, TWA: 4 mg/m3 Remark: (respirable fraction)

#### Additional information

TWA : Long-term occupational exposure limit value STEL : short-term occupational exposure limit value Ceiling : peak limitation

### 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

### Personal protection equipment

#### **Respiratory protection**

Do not breathe spray mist or vapor / aerosol. Do not wear respiratory protection. Full and half mask with matching filter (combination filter type A2 / P2).

### Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

### Eye/face protection

Wear closely fitting protective glasses in case of splashes.

### **Body protection**

Wear antistatic clothing of natural fibres (cotton) or heat resistant synthetic fibres.



Article No.: Print date: Version:	1530001 03.07.2024 6.3	JONAS Ultramatt premium Revision date: 04.10.2023 Issue date: 04.10.2023
version.	0.5	1330e uale. 04.10.2025

#### EN Page 4 / 7

### **Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

### Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Appearance: Colour:	Liquid viskos white
Odour:	low odor
Melting point/freezing point	not determined
Initial boiling point and boiling range:	not determined
Flammability:	not applicable
Lower and upper explosion limit: Lower explosion limit: Upper explosion limit:	0,8 not determined
Flash point:	not applicable
Auto-ignition temperature:	Remark: No data available
Decomposition temperature:	
pH at 20 °C:	9,5 - 10,5
Kinematic viscosity (40°C):	7142,86 mm²/s
Dynamic viscosity (20°C):	10500 mPa* s
Solubility(ies): Water solubility at 20 °C:	completely miscible
Partition coefficient n-octanol /water (log P O/W):	
	Remark: not determined
Vapour pressure at 20 °C:	1,43 mbar
Density and/or relative density: Density at 20 °C:	1,47 +/- 0,05 g/cm³
Relative vapour density:	not determined
particle characteristics:	not applicable

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No information available.

# 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

# 10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

### 10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

# 10.5. Incompatible materials

not applicable

# 10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.



EN Page 5 / 7

Article No.: Print date: Version:	1530001 03.07.2024 6.3	JONAS Ultramatt premium Revision date: 04.10.2023 Issue date: 04.10.2023

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Acute toxicity

Based on available data, the classification criteria are not met.

# Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

### titanium dioxide

Carcinogenicity

Contains less than 1 % titanium dioxide particles with an aerodynamic diameter = 10 µm.

### STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

### **Overall assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

### Remark

There is no information available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and has not been classified.

### 11.2. Information on other hazards

**Endocrine disrupting properties** No information available.

# **SECTION 12: Ecological information**

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

### Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. **Bioaccumulative potential** Toxicological data are not available.

# Bioconcentration factor (BCF)

Toxicological data are not available.

### 12.4. Mobility in soil

Toxicological data are not available.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties No information available.

# 12.7. Other adverse effects

No information available.



Article No.:	1530001	JONAS Ultramatt premium
Print date:	03.07.2024	Revision date: 04.10.2023
Version:	6.3	Issue date: 04.10.2023

EN Page 6 / 7

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### Appropriate disposal / Product

### Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

### List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

### Appropriate disposal / Package

### Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.A 150110 packaging containing residues of or contaminated by dangerous substances

# **SECTION 14: Transport information**

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

### No dangerous good in sense of this transport regulation.

14.1. UN number or ID number

		not applicable
14.2.	UN proper shipping name	
14.3.	Transport hazard class(es)	
		not applicable
14.4.	Packing group	
		not applicable
14.5.	Environmental hazards	
	Land transport (ADR/RID)	not applicable
	Marine pollutant	not applicable

### 14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8

**Further information** 

### Land transport (ADR/RID)

Tunnel restriction code

### Sea transport (IMDG)

EmS-No.

not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according IBC - Code.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

# Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC-value (in g/L): 5

**Directive 2004/42/EC on the limitation of emissions of volatile organic compounds** VOC product category: (Cat. A/b) ; VOC limit value: 100 g/l Maximum VOC content of the product in a ready to use condition (in g/L): 5

### National regulations

### Restrictions of occupation



		JONAS		••••
Article No.:	1530001	Ultramatt premium		
Print date:	03.07.2024	Revision date: 04.10.2023	EN	
Version:	6.3	Issue date: 04.10.2023	Page 7 / 7	

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

# 15.2. Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

EC No.	Designation	REACH No.
CAS No.	-	
201-074-9	Propylidynetrimethanol	01-2119486799-10
77-99-6		

### **SECTION 16: Other information**

Full text of classification in section 3:			
Carc. 2 / H351	Carcinogenicity	Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).	
Repr. 2 / H361	Reproductive toxicity	Suspected of damaging fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).	

### Abbreviations and acronyms

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit Value
BLV	Biological Limit Value
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic
DIN	German Institute for Standardization / German industrial standard
DNEL	Derived No-Effect Level
EAKV	European Waste Catalogue Directive
EC	Effective Concentration
EC	European Community
EN	European Standard
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations
IBC Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous
	Goods by Air
IMDG Code	International Maritime Code for Dangerous Goods
ISO	International Organization for Standardization
LC	Lethal Concentration
LD	Lethal Dose
MARPOL	Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OECD	Organisation for Economic Cooperation and Development
PBT	persistent, bioaccumulative, toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
IMDG Code	International Maritime Code for Dangerous Goods
ISO	International Organization for Standardization

## **Further information**

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations.Without written approval, the product must not be used for purposes different from those mentioned in section 1.It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations.The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.